

Screwless Wiring Accessories
Components

definity™


definity™

The Screwless Range

Definity™ incorporates screwless, push-fit face plates in 9 assorted finishes. The face plates are supplied independently of the electrical inserts which means that the initial installation of the product can be carried out and any subsequent maintenance or decoration completed before the final selection and fixing of the face plate.

For the installer, this means a greater degree of flexibility in the timing of the installation of the insert and the distributor need not carry excessive levels of costly finished product. Furthermore should subsequent interior design change or re-decoration dictate that a different colour accessory be required to complement the new scheme, replacement plates can be sourced individually and fitted without the need for any special tools or electrical skills. Definity™ gives the flexibility to mix and match insert colours to cover plate finishes giving infinite combinations.

With a wide selection of standard and 'ingot' metallic inserts, simply select your design and colour of insert. After selecting your choice of insert choose your preferred cover plate and simply clip it onto the insert to finalise the installation.



SIN	036	BK	SS
Insert Prefix	Product Number	Insert Colour	Ingot Switch Finish (if applicable)
SCP	436	SS	
Cover Plate Prefix	Product Number	Product Colour	



Each Definity™ product comprises an insert and a decorative cover plate.

Inserts are available in Black, White and Grey, (Grey is available in BS & SS Ingot only).

Plates are available in 9 different finishes.

PW, BK & RD finishes are produced from polycarbonate.

All other finishes are coated stainless steel

Simply select the required insert and choice of cover plate finish.

Contents

Switches	F36
Socket Outlets	F50
Fused Connection Units	F56
Red Fused Connection Units	F60
45A Switches	F61
RJ11 Outlet	F62
UK Telephone Outlet	F63
Satellite & Coaxial Outlets	F64
New Media™ Plates	F66
Galvanised Boxes	F67
Dry Lining Boxes	F68

Definity™ unique product codes

When ordering either an insert or cover plate from this catalogue, please specify a unique product code as shown.

For example if you wish to order a 2 gang 13A switched socket in stainless steel with a black switch and insert, the unique product code for the insert will be SIN036BK and for the cover plate will be SCP436SS.

If a 2 gang 13A switched socket in stainless steel with a stainless steel ingot switch and black insert is preferred, the unique product code for the insert will be 536BKSS and for the cover plate will be SCP436SS.

Insert Design



10AX 1 Gang
2 Way Switch



10AX 1 Gang
Intermediate
Switch



10AX 2 Gang
2 Way Switch



10AX 3 Gang
2 Way Switch

Select either a Standard or Ingot Insert

Standard Insert

SIN011BK - Black
SIN011PW - White

Ingot Switch Insert

SIN411BKBS
Black & Brushed Stainless
SIN411BKCH
Black & Chrome
SIN411BKSS
Black & Stainless Steel
SIN411PWBS
White & Brushed Stainless
SIN411PWCH
White & Chrome
SIN411PWSS
White & Stainless Steel
SIN411GYBS
Grey & Brushed Stainless
SIN411GYSS
Grey & Stainless Steel

Standard Insert

SIN025BK - Black
SIN025PW - White

Ingot Switch Insert

SIN425BKBS
Black & Brushed
Stainless
SIN425BKCH
Black & Chrome
SIN425BKSS
Black & Stainless Steel
SIN425PWBS
White & Brushed
Stainless
SIN425PWCH
White & Chrome
SIN425PWSS
White & Stainless Steel
SIN425GYBS
Grey & Brushed
Stainless
SIN425GYSS
Grey & Stainless Steel

Standard Insert

SIN012BK - Black
SIN012PW - White

Ingot Switch Insert

SIN412BKBS
Black & Brushed
Stainless
SIN412BKCH
Black & Chrome
SIN412BKSS
Black & Stainless Steel
SIN412PWBS
White & Brushed
Stainless
SIN412PWCH
White & Chrome
SIN412PWSS
White & Stainless Steel
SIN412GYBS
Grey & Brushed
Stainless
SIN412GYSS
Grey & Stainless Steel

Standard Insert

SIN013BK - Black
SIN013PW - White

Ingot Switch Insert

SIN413BKBS
Black & Brushed
Stainless
SIN413BKCH
Black & Chrome
SIN413BKSS
Black & Stainless Steel
SIN413PWBS
White & Brushed
Stainless
SIN413PWCH
White & Chrome
SIN413PWSS
White & Stainless Steel
SIN413GYBS
Grey & Brushed
Stainless
SIN413GYSS
Grey & Stainless Steel

Cover Plate

Single Cover Plate Single Aperture

SCP401



Available in Red (RD)

Single Cover Plate Twin Aperture

SCP402



Available in Red (RD)

Single Cover Plate Triple Aperture

SCP403



Available in Red (RD)

Standards: BS EN 60669-1 Back Box Depth (mm): 25
Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).

PW White, BK Black, GY Grey (Grey is available in BS & SS Ingot only)

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



10AX 4 Gang 2 Way Switch



10AX 6 Gang
2 Way Switch

Select either a Standard or Ingot Insert

Standard Insert

SIN019BK - Black
SIN019PW - White

Ingot Switch Insert

SIN414BKBS
Black & Brushed Stainless
SIN414BKCH
Black & Chrome
SIN414BKSS
Black & Stainless Steel
SIN414PWBS
White & Brushed Stainless
SIN414PWCH
White & Chrome
SIN414PWSS
White & Stainless Steel
SIN414GYBS
Grey & Brushed Stainless
SIN414GYSS
Grey & Stainless Steel

Standard Insert

SIN105BK - Black
SIN105PW - White

Ingot Switch Insert

SIN416BKBS
Black & Brushed Stainless
SIN416BKCH
Black & Chrome
SIN416BKSS
Black & Stainless Steel
SIN416PWBS
White & Brushed Stainless
SIN416PWCH
White & Chrome
SIN416PWSS
White & Stainless Steel
SIN416GYBS
Grey & Brushed Stainless
SIN416GYSS
Grey & Stainless Steel

Cover Plate

Double Cover Plate (2 x 2) Aperture

SCP404



Double Cover Plate (2 x 3) Aperture

SCP406



Available in Antique brass (AB)

Standards: BS EN 60669-1 Back Box Depth (mm): 25
Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).

PW White, BK Black, GY Grey (Grey is available in BS & SS Ingot only)

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design

The Definity™ GridPro® frontplates on this page require the designated 1 and 2 module insert shown below.



1 & 2 GridPro® Module Insert
SIN20200

Select a Cover Plate Finish

Definity™ 1 Gang GridPro® Frontplates

SCP20401



SCP20401BK - Matt Black
SCP20401BS - Brushed Stainless
SCP20401CH - Polished Chrome
SCP20401PW - White
SCP20401SS - Stainless Steel
SCP20401MW - Metal White
SCP20401MB - Metal Black

Definity™ 2 Gang GridPro® Frontplates

SCP20402



SCP20402BK - Matt Black
SCP20402BS - Brushed Stainless
SCP20402CH - Polished Chrome
SCP20402PW - White
SCP20402SS - Stainless Steel
SCP20402MW - Metal White
SCP20402MB - Metal Black

Select GridPro® Modules




Modules available with black or white inserts. AB, BN & MB are black inserts only. BS, SC & SS have grey insert option, RD is white insert only.

GM2002 - 20AX 2 Way Switch
GM2018 - 20AX Double Pole Switch
available with laser etched legends, see page J34
GM2028 - 20AX Intermediate Switch
GM2046ET - 20AX Double Pole Keyswitch 'Emergency Test'
GM2047 - 13A Fused
GM9010 - 1-10V Analogue Dimmer

Modules are available in the following finishes, simply add the finish suffix to the end of the code.

Insert: BK Black PW White GY Grey
Finishes: BK Black PW White RD Red AB Antique Brass
BN Black Nickel PB Polished Brass BS Brushed Stainless
CH Polished Chrome PN Pearl Nickel SB Satin Brass
SC Satin Chrome SS Stainless Steel MB Matt Black



We have selected our most popular modules here, for our extensive range please see the GridPro® section on page J24.

Standards: Plates: BS 5733 **Modules:** BS EN 60669-1
Back Box Depth (mm): Dependent on Modules Fitted **Modules:** 25 (35 Flat Plate) **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 86 (W) x 86 (H) x 4 (D) **20200:** 82 (W) x 60 (H) x 8 (D) **Modules:** 24.5 (W) x 50 (H) x 22.5 (D)

Insert Design

The Definity™ GridPro® frontplates on this page require the designated 3 and 4 module insert shown below.



Definity™ Module Insert
SIN20400

Select a Cover Plate Finish

Definity™ 3 Gang GridPro® Frontplates

SCP20403



SCP20403BK - Matt Black
SCP20403BS - Brushed Stainless
SCP20403CH - Polished Chrome
SCP20403PW - White
SCP20403SS - Stainless Steel
SCP20403MW - Metal White
SCP20403MB - Metal Black

Definity™ 4 Gang GridPro® Frontplates

SCP20404



SCP20404BK - Matt Black
SCP20404BS - Brushed Stainless
SCP20404CH - Polished Chrome
SCP20404PW - White
SCP20404SS - Stainless Steel
SCP20404MW - Metal White
SCP20404MB - Metal Black

Select GridPro® Modules




Modules available with black or white inserts. AB, BN & MB are black inserts only. BS, SC & SS have grey insert option, RD is white insert only.

GM2002 - 20AX 2 Way Switch
GM2018 - 20AX Double Pole Switch
available with laser etched legends, see page J34
GM2028 - 20AX Intermediate Switch
GM2046ET - 20AX Double Pole Keyswitch 'Emergency Test'
GM2047 - 13A Fused
GM9010 - 1-10V Analogue Dimmer

Modules are available in the following finishes, simply add the finish suffix to the end of the code.

Insert: BK Black PW White GY Grey
Finishes: BK Black PW White RD Red AB Antique Brass
BN Black Nickel PB Polished Brass BS Brushed Stainless
CH Polished Chrome PN Pearl Nickel SB Satin Brass
SC Satin Chrome SS Stainless Steel MB Matt Black



We have selected our most popular modules here, for our extensive range please see the GridPro® section on page J24.

Standards: BS 5733 **Modules:** BS EN 60669-1
Back Box Depth (mm): Dependent on Modules Fitted **Modules:** 25 (35 Flat Plate) **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 146 (W) x 86 (H) x 4 (D) **20400:** 142 (W) x 60 (H) x 8 (D) **Modules:** 24.5 (W) x 50 (H) x 22.5 (D)

Insert Design

The Definity™ GridPro® frontplates on this page require the designated Hotel Accessory module insert shown below.



Definity™ Hotel Accessory GridPro® Insert
SIN31102BK

Select a Cover Plate Finish

Definity™ Hotel Accessory GridPro® Frontplates
SCP31102




SCP31102BK - Matt Black
SCP31102BS - Brushed Stainless
SCP31102CH - Polished Chrome
SCP31102PW - White
SCP31102SS - Stainless Steel
SCP31102MW - Metal White
SCP31102MB - Metal Black

Select GridPro® Modules



Modules available with black or white inserts. AB, BN & MB are black inserts only. BS, SC & SS have grey insert option, RD is white insert only.

GM2002 -	20AX 2 Way Switch
GM2018 -	20AX Double Pole Switch available with laser etched legends, see page J34
GM2028 -	20AX Intermediate Switch
GM2046ET -	20AX Double Pole Keyswitch 'Emergency Test'
GM2047 -	13A Fused
GM9010 -	1-10V Analogue Dimmer



We have selected our most popular modules here, for our extensive range please see the GridPro® section on page J24.

Standards: Plates: BS 5733 **Modules:** BS EN 60669-1
Back Box Depth (mm): Dependent on Modules Fitted **Modules:** 25 (35 Flat Plate) **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 146 (W) x 86 (H) x 4 (D) **31102:** 142.5 (W) x 82.5 (H) x 2.5 (D) **Modules:** 24.5 (W) x 50 (H) x 22.5 (D)

Insert Design


The Definity™ GridPro® frontplates on this page require the designated 3 and 4 module insert shown here.



Definity™ Module Insert
SIN20400


Select a Cover Plate Finish

Definity™ 6 Gang GridPro® Frontplates
SCP20506



SCP20506BK - Matt Black
SCP20506BS - Brushed Stainless
SCP20506CH - Polished Chrome
SCP20506PW - White
SCP20506SS - Stainless Steel
SCP20506MW - Metal White
SCP20506MB - Metal Black

Definity™ 8 Gang GridPro® Frontplates
SCP20508



SCP20508BK - Matt Black
SCP20508BS - Brushed Stainless
SCP20508CH - Polished Chrome
SCP20508PW - White
SCP20508SS - Stainless Steel
SCP20508MW - Metal White
SCP20508MB - Metal Black

Select GridPro® Modules



Modules available with black or white inserts. AB, BN & MB are black inserts only. BS, SC & SS have grey insert option, RD is white insert only.

GM2002 -	20AX 2 Way Switch
GM2018 -	20AX Double Pole Switch available with laser etched legends, see page J34
GM2028 -	20AX Intermediate Switch
GM2046ET -	20AX Double Pole Keyswitch 'Emergency Test'
GM2047 -	13A Fused
GM9010 -	1-10V Analogue Dimmer



We have selected our most popular modules here, for our extensive range please see the GridPro® section on page J24.

Standards: BS 5733 **Modules:** BS EN 60669-1
Back Box Depth (mm): Dependent on Modules Fitted **Modules:** 25 (35 Flat Plate) **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): 146 (W) x 86 (H) x 4 (D) **20400:** 142 (W) x 60 (H) x 8 (D) **Modules:** 24.5 (W) x 50 (H) x 22.5 (D)

Insert Design



Single Plate
Single Aperture 'Unfurnished'



Single Plate
Twin Aperture 'Unfurnished'



Single Plate Triple
Aperture 'Unfurnished'

Select an Insert

Insert Frame Only

SIN401BK - Black
SIN401PW - White
SIN401GY - Grey
SIN401RD - Red

Insert Frame Only

SIN402BK - Black
SIN402PW - White
SIN402GY - Grey
SIN402RD - Red

Insert Frame Only

SIN403BK - Black
SIN403PW - White
SIN403GY - Grey
SIN403RD - Red

Select a Cover Plate

Understanding the code:

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Single Cover Plate Single Aperture

SCP401



Single Cover Plate Twin Aperture

SCP402



Single Cover Plate Triple Aperture

SCP403



These cover plates are available in Red (RD) & Antique brass (AB)

Select MiniGrid® Modules



Modules are all easily and quickly exchanged or mounted onto unfurnished plates by means of a simple single screw fixing.

MD047 - FCU


MD002 - 2 Way Switch

MD028 - Intermediate Switch

MD029 - DP Keyswitch 'Emergency Test'

MD018 - DP Switch

available with laser etched legends, see page K22



Modules are available in the following finishes, simply add the finish suffix to the end of the code.

BK Black PW Polar White WH Click White
AB Antique Brass BN Black Nickel PB Polished Brass
BS Brushed Stainless CH Polished Chrome
PN Pearl Nickel SB Satin Brass SC Satin Chrome
SS Stainless Steel MB Matt Black

We have selected our most popular modules here, for our extensive range please see the MiniGrid® section on page K18.

Standards: BS EN 60669-1 BS 5733

Back Box Depth (mm): Dependent On Modules Fitted Cable Size (mm²): 4 x 1.5 or 2 x 2.5

Dimensions (mm): 86 (W) x 86 (H) x 4 (D)

Insert Design



Double Plate (2 x 2)
Aperture 'Unfurnished'



Double Plate
(2 x 3) Aperture 'Unfurnished'



Double Plate
(6 In-line) Aperture 'Unfurnished'

Select an Insert

Insert Frame Only

SIN404BK - Black
SIN404PW - White
SIN404GY - Grey

Insert Frame Only

SIN406BK - Black
SIN406PW - White
SIN406GY - Grey

Insert Frame Only

SIN426BK - Black
SIN426PW - White
SIN426GY - Grey

Select a Cover Plate

Understanding the code:

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Double Cover Plate (2 x 2) Aperture

SCP404



Available in Antique brass (AB)


Double Cover Plate (2 x 3) Aperture

SCP406



Double Cover Plate (6 In-line) Aperture

SCP426



Available in Antique brass (AB)

Select MiniGrid® Modules



The MiniGrid® modules are all easily and quickly exchanged or mounted onto unfurnished plates by means of a simple single screw fixing.

MD047 - FCU


MD002 - 2 Way Switch

MD028 - Intermediate Switch

MD029 - DP Keyswitch 'Emergency Test'

MD018 - DP Switch

available with laser etched legends, see page K22



Modules are available in the following finishes, simply add the finish suffix to the end of the code.

BK Black PW Polar White WH Click White
AB Antique Brass BN Black Nickel PB Polished Brass
BS Brushed Stainless CH Polished Chrome
PN Pearl Nickel SB Satin Brass SC Satin Chrome
SS Stainless Steel MB Matt Black

We have selected our most popular modules here, for our extensive range please see the MiniGrid® section on page K18.

Standards: BS EN 60669-1 BS 5733

Back Box Depth (mm): Dependent On Modules Fitted Cable Size (mm²): 4 x 1.5 or 2 x 2.5

Dimensions (mm): 146 (W) x 86 (H) x 4 (D)

MINIGRID GRIDPRO

Endless Possibilities...

In house laser etching, available for GridPro® & MiniGrid® Modules.

Our in house laser printer provides flexibility to suit large volume batch or custom jobs. The precision, permanent, fine marking effect is customisable, offering you and your customers a wider variety of options.

Insert Design			
			
1 Gang 2 Way Rotary Dimmer Switch	2 Gang 2 Way Rotary Dimmer Switch	3 Gang 2 Way Rotary Dimmer Switch	4 Gang 2 Way Rotary Dimmer Switch
Select a Standard Insert			
SIN161 100W / Va Suitable for dimming dimable LED light sources	SIN162 100W / Va Suitable for dimming dimable LED light sources	SIN163 100W / Va Suitable for dimming dimable LED light sources	SIN164 100W / Va Suitable for dimming dimable LED light sources
Dimmer knob supplied with cover plate	Dimmer knob supplied with cover plate	Dimmer knob supplied with cover plate	Dimmer knob supplied with cover plate
Rotary Dimmer Mounting Plate SIN141PL Dimmer module supplied separately	Rotary Dimmer Mounting Plate SIN142PL Dimmer module supplied separately	Rotary Dimmer Mounting Plate SIN143PL Dimmer module supplied separately	Rotary Dimmer Mounting Plate SIN144PL Dimmer module supplied separately
Cover Plate			
1 Gang Dimmer Switch Cover Plate & Knob SCP241	2 Gang Dimmer Switch Cover Plate & Knobs SCP242	3 Gang Dimmer Switch Cover Plate & Knobs SCP243	4 Gang Dimmer Switch Cover Plate & Knobs SCP244
			

Standards: BS EN 60669-1 BS EN 60669-2-1 BS EN 55015 BS EN 61000-3-2 **Plates:** BS 5733
Type: Trailing Edge **Back Box Depth (mm):** 35 **Cable Size (mm²):** 2 x 1.5
Dimensions (mm): **1 Gang:** 86 (W) x 86 (H) x 4 (D) **2 Gang:** 146 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix **036** - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).
BK Black
SCP - Definity™ Cover Plate Prefix **436** - Product No **SS** - Plate Colour.
BS Brushed Stainless, **CH** Polished Chrome, **SS** Stainless Steel, **MW** Metal White, **MB** Metal Black, **PW** White, **BK** Matt Black, **BKCH** Matt Black with Chrome Knobs

Insert Design



10AX 1 Gang 2 Way
Toggle Switch



10AX 1 Gang Intermediate
Toggle Switch

Select a Standard Insert

Toggle Switch

SIN421CH - Chrome
SIN421PN - Pearl Nickel

Toggle Switch

SIN420CH - Chrome
SIN420PN - Pearl Nickel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome
Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome
Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Cover Plate

1 Gang Toggle Switch
Cover Plate

SCP221



Standards: BS EN 60669-1
Back Box Depth (mm): 35 Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): **1 Gang:** 86 (W) x 86 (H) x 4 (D) **2 Gang:** 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix **036** - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).
BK Black.
SCP - Definity™ Cover Plate Prefix **436** - Product No **SS** - Plate Colour.
BS Brushed Stainless, **CH** Polished Chrome, **SS** Stainless Steel, **MW** Metal White, **MB** Metal Black, **PW** White, **BK** Matt Black

Insert Design



10AX 2 Gang 2 Way
Toggle Switch



10AX 3 Gang 2 Way
Toggle Switch



10AX 4 Gang 2 Way
Toggle Switch

Select a Standard Insert

Toggle Switch

SIN422CH - Chrome
SIN422PN - Pearl Nickel

Toggle Switch

SIN423CH - Chrome
SIN423PN - Pearl Nickel

Toggle Switch

SIN424CH - Chrome
SIN424PN - Pearl Nickel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome
Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome
Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Recommended Cover Plate
and Toggle Switch

Chrome Toggle:
Chrome
Pearl Nickel Toggle:
Brushed Stainless & Stainless Steel

Cover Plate


2 Gang Toggle Switch
Cover Plate

SCP222




3 Gang Toggle Switch
Cover Plate

SCP223



4 Gang Toggle Switch
Cover Plate

SCP224



Standards: BS EN 60669-1
Back Box Depth (mm): 35 Cable Size (mm²): 4 x 1.5 or 2 x 2.5
Dimensions (mm): **1 Gang:** 86 (W) x 86 (H) x 4 (D) **2 Gang:** 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix **036** - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).
BK Black.
SCP - Definity™ Cover Plate Prefix **436** - Product No **SS** - Plate Colour.
BS Brushed Stainless, **CH** Polished Chrome, **SS** Stainless Steel, **MW** Metal White, **MB** Metal Black, **PW** White, **BK** Matt Black

Insert Design



20A Double Pole Switch with Flex Outlet



20A Double Pole Switch with Flex Outlet & Neon



20A Double Pole Switch



20A Double Pole Switch with Neon

Select either a Standard or Ingot Insert

Standard Insert

SIN022BK - Black
SIN022PW - White

Ingot Switch Insert

SIN522BKBS
Black & Brushed Stainless
SIN522BKCH
Black & Chrome
SIN522BKSS
Black & Stainless Steel
SIN522PWBS
White & Brushed Stainless
SIN522PWCH
White & Chrome
SIN522PWSS
White & Stainless Steel
SIN522GYBS
Grey & Brushed Stainless
SIN522GYSS
Grey & Stainless Steel

Standard Insert

SIN023BK - Black
SIN023PW - White

Ingot Switch Insert

SIN523BKBS
Black & Brushed Stainless
SIN523BKCH
Black & Chrome
SIN523BKSS
Black & Stainless Steel
SIN523PWBS
White & Brushed Stainless
SIN523PWCH
White & Chrome
SIN523PWSS
White & Stainless Steel
SIN523GYBS
Grey & Brushed Stainless
SIN523GYSS
Grey & Stainless Steel

Standard Insert

SIN622BK - Black
SIN622PW - White

Ingot Switch Insert

SIN722BKBS
Black & Brushed Stainless
SIN722BKCH
Black & Chrome
SIN722BKSS
Black & Stainless Steel
SIN722PWBS
White & Brushed Stainless
SIN722PWCH
White & Chrome
SIN722PWSS
White & Stainless Steel
SIN722GYBS
Grey & Brushed Stainless
SIN722GYSS
Grey & Stainless Steel

Standard Insert

SIN623BK - Black
SIN623PW - White

Ingot Switch Insert

SIN723BKBS
Black & Brushed Stainless
SIN723BKCH
Black & Chrome
SIN723BKSS
Black & Stainless Steel
SIN723PWBS
White & Brushed Stainless
SIN723PWCH
White & Chrome
SIN723PWSS
White & Stainless Steel
SIN723GYBS
Grey & Brushed Stainless
SIN723GYSS
Grey & Stainless Steel

Cover Plate

20A DP Switch with Flex Outlet Cover Plate

SCP322



20A DP Switch with Flex Outlet & Neon Cover Plate

SCP323



20A DP Switch Cover Plate

SCP422



20A DP Switch with Neon Cover Plate

SCP423



Standards: BS EN 60669-1
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



20A Sink & Bath Switch with Neon



10A 3 Pole Fan Isolation Switch



Lockable Switch

Select either a Standard or Ingot Insert

Standard Insert

SIN024BK - Black
SIN024PW - White

Standard Insert

SIN020BK - Black
SIN020PW - White

Standard Insert

SIN660BK - Black

Ingot Switch Insert

SIN520BKBS
Black & Brushed Stainless
SIN520BKCH
Black & Chrome
SIN520BKSS
Black & Stainless Steel
SIN520PWBS
White & Brushed Stainless
SIN520PWCH
White & Chrome
SIN520PWSS
White & Stainless Steel
SIN520GYBS
Grey & Brushed Stainless
SIN520GYSS
Grey & Stainless Steel

Cover Plate

20A Sink & Bath Switch with Neon Cover Plate

SCP324



10A Fan Isolation Switch Cover Plate

SCP402



Lockable Switch Cover Plate

SCP660



Available in Red (RD) & Antique brass (AB)


Standards: BS EN 60669-2-4 020 660: BS EN 60669-1
Back Box Depth (mm): 520: 25 024: 35 660: 47
Cable Size (mm²): 020 520: 4 x 1.5 or 2 x 2.5 024: 3 x 2.5 660: 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design		
 Lockable Socket	 UK 13A 1 Gang Socket Outlet	 115/230V Dual Voltage Shaver Socket Outlet
Select a Standard Insert		
Standard Insert SIN655BK - Black SIN655PW - White SIN655GY - Grey	Standard Insert SIN630BK - Black SIN630PW - White	Standard Insert SIN100BK - Black SIN100PW - White SIN100GY - Grey Click® dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5:2010 making it safe for use in bathrooms. Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.
Cover Plate		
Lockable Socket Cover Plate SCP655 	UK 13A 1 Gang Socket Outlet Cover Plate SCP430 	Dual Voltage Shaver Socket Outlet Cover Plate SCP100 

Standards: 100: BS EN IEC 61558-1 BS EN 61558-2-5 630: BS 1363-2 655: BS EN 60669-1 BS 1363-2
Cable Size (mm²): 3 x 2.5 or 2 x 4 100: 2 x 1.5 or 1 x 2.5 **Back Box Depth (mm):** 47 630: 35
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D) 100: 86 (W) x 146 (H) x 4 (D)

Understanding the code:
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
 PW White, BK Black, GY Grey (Grey is Ingot only)
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design		
 2A 1 Gang Round Pin Socket Outlet	 5A 1 Gang Round Pin Socket Outlet	 15A 1 Gang Round Pin Switched Socket Outlet
Select a Standard Insert		
Standard Insert SIN039BK - Black SIN039PW - White	Standard Insert SIN038BK - Black SIN038PW - White SIN038GY - Grey	Standard Insert SIN034BK - Black SIN034PW - White
Cover Plate		
2A 1 Gang Round Pin Socket Outlet Cover Plate SCP239 	5A 1 Gang Round Pin Socket Outlet Cover Plate SCP238 	15A 1 Gang Round Pin Switched Socket Outlet Cover Plate SCP234 

Standards: BS 546
Back Box Depth (mm): 35
Cable Size (mm²): 034: 3 x 2.5 038: 4 x 1.5 or 3 x 2.5 039: 3 x 1.5 660: 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
 SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
 PW White, BK Black.
 SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
 BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



UK 13A 1 Gang Double Pole Switched Socket Outlet



13A 1 Gang DP Switched Safety Shutter Socket Outlet With Neon Insert



UK 13A 2 Gang Double Pole Switched Socket Outlet

Select either a Standard or Ingot Insert

Standard Insert

SIN035BK - Black
SIN035PW - White

Ingot Switch Insert

SIN535BKBS
Black & Brushed Stainless
SIN535BKCH
Black & Chrome
SIN535BKSS
Black & Stainless Steel
SIN535GYBS
White & Brushed Stainless
SIN535PWCH
White & Chrome
SIN535PWSS
White & Stainless Steel
SIN535PWBS
Grey & Brushed Stainless
SIN535GYSS
Grey & Stainless Steel

Standard Insert

SIN1835BK - Black
SIN1835PW - White

Standard Insert

SIN036BK - Black
SIN036PW - White
SIN036RD - Red

Ingot Switch Insert

SIN536BKBS
Black & Brushed Stainless
SIN536BKCH
Black & Chrome
SIN536BKSS
Black & Stainless Steel
SIN536PWBS
White & Brushed Stainless
SIN536PWCH
White & Chrome
SIN536PWSS
White & Stainless Steel
SIN536GYBS
Grey & Brushed Stainless
SIN536GYSS
Grey & Stainless Steel

Cover Plate

UK 13A 1 Gang Switched Socket Outlet Cover Plate

SCP435



UK 13A 2 Gang Switched Socket Outlet Cover Plate

SCP436



Available in Red (RD)

Standards: BS 1363-2
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): **1 Gang:** 86 (W) x 86 (H) x 4 (D) **2 Gang:** 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix **036** - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix **436** - Product No **SS** - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



13A 1 Gang DP Switched Safety Shutter Socket Outlet Insert



13A 2 Gang DP Switched Safety Shutter Socket Outlet (Twin Earth) Insert

Select either a Standard or Ingot Insert

Standard Insert

SIN1035BK - Black
SIN1035PW - White

Ingot Switch Insert

SIN1535BKBS
Black & Brushed Stainless
SIN1535BKCH
Black & Chrome
SIN1535BKSS
Black & Stainless Steel
SIN1535PWBS
White & Brushed Stainless
SIN1535PWCH
White & Chrome
SIN1535PWSS
White & Stainless Steel

Only available for sale in the Republic of Ireland.

Standard Insert

SIN1036BK - Black
SIN1036PW - White

Ingot Switch Insert

SIN1536BKBS
Black & Brushed Stainless
SIN1536BKCH
Black & Chrome
SIN1536BKSS
Black & Stainless Steel
SIN1536PWBS
White & Brushed Stainless
SIN1536PWCH
White & Chrome
SIN1536PWSS
White & Stainless Steel

Only available for sale in the Republic of Ireland.

Cover Plate

13A 1 Gang Switched Safety Shutter Socket Cover Plate

SCP835



13A 2 Gang Switched Socket Cover Plate

SCP436



Available in Red (RD)

Standards: BS 1363-2
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): **1 Gang:** 86 (W) x 86 (H) x 4 (D) **2 Gang:** 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix **036** - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix **436** - Product No **SS** - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



13A 2 Gang DP Switched Safety Shutter Socket Outlet With Outboard Rockers (Twin Earth) Insert



13A 2 Gang DP Switched Safety Shutter Socket Outlet With Outboard Rockers & Neons (Twin Earth) Insert



UK 13A 1 Gang Switched Socket Outlet with 2.1A USB Outlet

Select either a Standard or Ingot Insert

Standard Insert

SIN1836BK - Black
SIN1836PW - White

Ingot Switch Insert

SIN1836BKBS
Black & Brushed Stainless
SIN1836BKCH
Black & Chrome
SIN1836BKSS
Black & Stainless Steel
SIN1836PWBS
White & Brushed Stainless
SIN1836PWCH
White & Chrome
SIN1836PWSS
White & Stainless Steel

Only available for sale in the Republic of Ireland.

Standard Insert

SIN1840BK - Black
SIN1840PW - White

Only available for sale in the Republic of Ireland.

Standard Insert

SIN771UBK - Black
SIN771UPW - White

Ingot Switch Insert

SIN571UBKBS
Black & Brushed Stainless
SIN571UBKCH
Black & Chrome
SIN571UBKSS
Black & Stainless Steel
SIN571UPWBS
White & Brushed Stainless
SIN571UPWCH
White & Chrome
SIN571UPWSS
White & Stainless Steel
SIN571UGYBS
Grey & Brushed Stainless
SIN571UGYSS
Grey & Stainless Steel

Cover Plate

13A 2 Gang Outboard Switched Safety Shutter Socket Cover Plate



SCP840

UK 13A 1 Gang Switched Socket Outlet with 2.1A USB Outlet Cover Plate



SCP471U

Standards: BS 1363-2: 2016 •A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): **1 Gang:** 86 (W) x 86 (H) x 4 (D) **2 Gang:** 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix **036** - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix **436** - Product No **SS** - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Safety Shutter Sockets (Excluding USB options) are only available for sale in the Republic of Ireland.

Insert Design



UK 13A 2 Gang Switched Socket Outlet with 2.1A USB Outlet



UK 13A 2 Gang Switched Socket Outlet with Twin 2.1A USB Outlets



13A 2 Gang Switched Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth) Insert

Select either a Standard or Ingot Insert

Standard Insert

SIN770BK - Black
SIN770PW - White

Ingot Switch Insert

SIN570BKBS
Black & Brushed Stainless
SIN570BKCH
Black & Chrome
SIN570BKSS
Black & Stainless Steel
SIN570PWBS
White & Brushed Stainless
SIN570PWCH
White & Chrome
SIN570PWSS
White & Stainless Steel

Standard Insert

SIN780BK - Black
SIN780PW - White

Ingot Switch Insert

SIN580BKBS
Black & Brushed Stainless
SIN580BKCH
Black & Chrome
SIN580BKSS
Black & Stainless Steel
SIN580PWBS
White & Brushed Stainless
SIN580PWCH
White & Chrome
SIN580PWSS
White & Stainless Steel
SIN580GYBS
Grey & Brushed Stainless
SIN580GYSS
Grey & Stainless Steel

Standard Insert

SIN786BK - Black
SIN786PW - White

Ingot Switch Insert

SIN586BKBS
Black & Brushed Stainless
SIN586BKCH
Black & Chrome
SIN586BKSS
Black & Stainless Steel
SIN586PWBS
White & Brushed Stainless
SIN586PWCH
White & Chrome
SIN586PWSS
White & Stainless Steel
SIN586GYBS
Grey & Brushed Stainless
SIN586GYSS
Grey & Stainless Steel


Cover Plate

UK 13A 2 Gang Switched Socket Outlet with 2.1A USB Outlet Cover Plate



SCP470

UK 13A 2 Gang Switched Socket Outlet with Twin 2.1A USB Outlet Cover Plate



SCP480

UK 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Cover Plate



SCP486

Standards: BS 1363-2: 2016 •A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1
Back Box Depth (mm): 35 **Cable Size (mm²):** 3 x 2.5 or 2 x 4
Dimensions (mm): **1 Gang:** 86 (W) x 86 (H) x 4 (D) **2 Gang:** 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix **036** - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).

PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix **436** - Product No **SS** - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



13A Fused Connection Unit with Flex Outlet



13A Fused Connection Unit Double Pole Switched with Flex Outlet



13A Fused Connection Unit Double Pole Switched with Flex Outlet & Neon



13A Fused Connection Unit with Flex Outlet & Neon

Select either a Standard or Ingot Insert

Standard Insert

SIN050BK - Black
SIN050PW - White

Ingot Switch Insert

SIN550BKBS
Black & Brushed Stainless
SIN550BKCH
Black & Chrome
SIN550BKSS
Black & Stainless Steel
SIN550PWBS
White & Brushed Stainless
SIN550PWCH
White & Chrome
SIN550PWSS
White & Stainless Steel
SIN550GYBS
Grey & Brushed Stainless
SIN550GYSS
Grey & Stainless Steel

Standard Insert

SIN051BK - Black
SIN051PW - White

Ingot Switch Insert

SIN551BKBS
Black & Brushed Stainless
SIN551BKCH
Black & Chrome
SIN551BKSS
Black & Stainless Steel
SIN551PWBS
White & Brushed Stainless
SIN551PWCH
White & Chrome
SIN551PWSS
White & Stainless Steel
SIN551GYBS
Grey & Brushed Stainless
SIN551GYSS
Grey & Stainless Steel

Standard Insert

SIN052BK - Black
SIN052PW - White

Ingot Switch Insert

SIN552BKBS
Black & Brushed Stainless
SIN552BKCH
Black & Chrome
SIN552BKSS
Black & Stainless Steel
SIN552PWBS
White & Brushed Stainless
SIN552PWCH
White & Chrome
SIN552PWSS
White & Stainless Steel
SIN552GYBS
Grey & Brushed Stainless
SIN552GYSS
Grey & Stainless Steel

Standard Insert

SIN053BK - Black
SIN053PW - White

Ingot Switch Insert

SIN553BKBS
Black & Brushed Stainless
SIN553BKCH
Black & Chrome
SIN553BKSS
Black & Stainless Steel
SIN553PWBS
White & Brushed Stainless
SIN553PWCH
White & Chrome
SIN553PWSS
White & Stainless Steel
SIN553GYBS
Grey & Brushed Stainless
SIN553GYSS
Grey & Stainless Steel

Cover Plate

13A FCU with Flex Outlet Cover Plate

SCP150



13A FCU Switched with Flex Outlet Cover Plate

SCP151



13A FCU Switched with Flex Outlet & Neon Cover Plate

SCP152



13A FCU with Flex Outlet & Neon Cover Plate

SCP153



Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



13A Fused Connection Unit



13A Fused Connection Unit, Double Pole Switched



13A Fused Connection Unit, Double Pole Switched with Neon



13A Fused Connection Unit with Neon

Select either a Standard or Ingot Insert

Standard Insert

SIN650BK - Black
SIN650PW - White

Ingot Switch Insert

SIN750BKBS
Black & Brushed Stainless
SIN750BKCH
Black & Chrome
SIN750BKSS
Black & Stainless Steel
SIN750PWBS
White & Brushed Stainless
SIN750PWCH
White & Chrome
SIN750PWSS
White & Stainless Steel
SIN750GYBS
Grey & Brushed Stainless
SIN750GYSS
Grey & Stainless Steel

Standard Insert

SIN651BK - Black
SIN651PW - White

Ingot Switch Insert

SIN751BKBS
Black & Brushed Stainless
SIN751BKCH
Black & Chrome
SIN751BKSS
Black & Stainless Steel
SIN751PWBS
White & Brushed Stainless
SIN751PWCH
White & Chrome
SIN751PWSS
White & Stainless Steel
SIN751GYBS
Grey & Brushed Stainless
SIN751GYSS
Grey & Stainless Steel

Standard Insert

SIN652BK - Black
SIN652PW - White

Ingot Switch Insert

SIN752BKBS
Black & Brushed Stainless
SIN752BKCH
Black & Chrome
SIN752BKSS
Black & Stainless Steel
SIN752PWBS
White & Brushed Stainless
SIN752PWCH
White & Chrome
SIN752PWSS
White & Stainless Steel
SIN752GYBS
Grey & Brushed Stainless
SIN752GYSS
Grey & Stainless Steel

Standard Insert

SIN653BK - Black
SIN653PW - White

Ingot Switch Insert

SIN753BKBS
Black & Brushed Stainless
SIN753BKCH
Black & Chrome
SIN753BKSS
Black & Stainless Steel
SIN753PWBS
White & Brushed Stainless
SIN753PWCH
White & Chrome
SIN753PWSS
White & Stainless Steel
SIN753GYBS
Grey & Brushed Stainless
SIN753GYSS
Grey & Stainless Steel

Cover Plate

13A FCU Cover Plate

SCP250



13A FCU Switched Cover Plate

SCP251



13A FCU Switched with Neon Cover Plate

SCP252



13A FCU with Neon Cover Plate

SCP253



Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



13A Fused Connection Unit with Flex Outlet



13A Fused Connection Unit, Double Pole Switched with Flex Outlet



13A Fused Connection Unit, Double Pole Switched with Flex Outlet & Neon



13A Fused Connection Unit with Flex Outlet & Neon

Select a Standard Insert

Lockable

Standard Insert
SIN250BK - Black
SIN250PW - White

Lockable

Standard Insert
SIN251BK - Black
SIN251PW - White

Lockable

Standard Insert
SIN252BK - Black
SIN252PW - White

Lockable

Standard Insert
SIN253BK - Black
SIN253PW - White

Cover Plate

13A FCU with Flex Outlet Cover Plate

SCP350



Available in Red (RD)

13A FCU Switched with Flex Outlet Cover Plate

SCP351



Available in Red (RD)

13A FCU Switched with Flex Outlet & Neon Cover Plate

SCP352



13A FCU with Flex Outlet & Neon Cover Plate

SCP353



Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black.

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



13A Fused Connection Unit



13A Fused Connection Unit, Double Pole Switched



13A Fused Connection Unit, Double Pole Switched with Neon



13A Fused Connection Unit with Neon

Select a Standard Insert

Lockable

Standard Insert
SIN850BK - Black
SIN850PW - White

Lockable

Standard Insert
SIN851BK - Black
SIN851PW - White

Lockable

Standard Insert
SIN852BK - Black
SIN852PW - White

Lockable

Standard Insert
SIN853BK - Black
SIN853PW - White

Cover Plate

13A FCU Cover Plate

SCP450



13A FCU Switched Cover Plate

SCP451



13A FCU Switched with Neon Cover Plate

SCP452



13A FCU with Neon Cover Plate

SCP453



Standards: BS 1363-4 BS 1362
Back Box Depth (mm): 35 Cable Size (mm²): 3 x 2.5 or 2 x 4
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black.

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



3A Fused Connection Unit with Flex Outlet



3A Fused Connection Unit Double Pole Switched with Flex Outlet



45A Double Pole Switch (Single Plate)



45A Double Pole Switch with Neon (Single Plate)

Select either a Standard or Ingot Insert

Lockable

Standard Insert
SIN249RD - Red

Lockable

Standard Insert
SIN256RD - Red

Standard Insert
SIN200BK - Black
SIN200PW - White

Ingot Switch Insert
SIN500BKBS Black & Brushed Stainless
SIN500BKCH Black & Chrome
SIN500BKSS Black & Stainless Steel
SIN500PWBS White & Brushed Stainless
SIN500PWCH White & Chrome
SIN500PWSS White & Stainless Steel
SIN500GYBS Grey & Brushed Stainless
SIN500GYSS Grey & Stainless Steel

Standard Insert
SIN201BK - Black
SIN201PW - White

Ingot Switch Insert
SIN501BKBS Black & Brushed Stainless
SIN501BKCH Black & Chrome
SIN501BKSS Black & Stainless Steel
SIN501PWBS White & Brushed Stainless
SIN501PWCH White & Chrome
SIN501PWSS White & Stainless Steel
SIN501GYBS Grey & Brushed Stainless
SIN501GYSS Grey & Stainless Steel

Cover Plate

13A FCU with Flex Outlet Cover Plate

SCP350



Available in Red (RD)

13A FCU Switched with Flex Outlet Cover Plate

SCP351



Available in Red (RD)

45A Switch Cover Plate

SCP200



45A Switch with Neon Cover Plate

SCP201



Standards: BS EN 60669-1 **249 256**: BS 1363-4 BS 1362
Back Box Depth (mm): 47 **249 256**: 35 Cable Size (mm²): 1 x 16 **249 256**: 3 x 2.5 or 2 x 4
Dimensions (mm): **1** Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix **036** - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).

PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix **436** - Product No **SS** - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



45A Double Pole Switch (Vertical Double Plate)



45A Double Pole Switch with Neon (Vertical Double Plate)



45A Double Pole Switch with 13A Double Pole Switched Socket Outlet



45A Double Pole Switch with 13A Double Pole Switched Socket Outlet & Neons

Select either a Standard or Ingot Insert

Standard Insert
SIN202BK - Black
SIN202PW - White

Ingot Switch Insert
SIN502BKBS Black & Brushed Stainless
SIN502BKCH Black & Chrome
SIN502BKSS Black & Stainless Steel
SIN502PWBS White & Brushed Stainless
SIN502PWCH White & Chrome
SIN502PWSS White & Stainless Steel
SIN502GYBS Grey & Brushed Stainless
SIN502GYSS Grey & Stainless Steel

Standard Insert
SIN203BK - Black
SIN203PW - White

Ingot Switch Insert
SIN503BKBS Black & Brushed Stainless
SIN503BKCH Black & Chrome
SIN503BKSS Black & Stainless Steel
SIN503PWBS White & Brushed Stainless
SIN503PWCH White & Chrome
SIN503PWSS White & Stainless Steel
SIN503GYBS Grey & Brushed Stainless
SIN503GYSS Grey & Stainless Steel

Standard Insert
SIN204BK - Black
SIN204PW - White

Ingot Switch Insert
SIN504BKBS Black & Brushed Stainless
SIN504BKCH Black & Chrome
SIN504BKSS Black & Stainless Steel
SIN504PWBS White & Brushed Stainless
SIN504PWCH White & Chrome
SIN504PWSS White & Stainless Steel
SIN504GYBS Grey & Brushed Stainless
SIN504GYSS Grey & Stainless Steel

Standard Insert
SIN205BK - Black
SIN205PW - White

Ingot Switch Insert
SIN505BKBS Black & Brushed Stainless
SIN505BKCH Black & Chrome
SIN505BKSS Black & Stainless Steel
SIN505PWBS White & Brushed Stainless
SIN505PWCH White & Chrome
SIN505PWSS White & Stainless Steel
SIN505GYBS Grey & Brushed Stainless
SIN505GYSS Grey & Stainless Steel

Cover Plate

45A Switch Vertical Double Cover Plate

SCP202



45A Switch Vertical Double Cover Plate with Neon

SCP203



45A Switch with Switch Socket Outlet Cover Plate

SCP204



45A Switch with Switch Socket Outlet with Neons Cover Plate

SCP205



Standards: BS EN 60669-1 **204 205 504 505**: BS 4177
Back Box Depth (mm): 47 Cable Size (mm²): 1 x 16
Dimensions (mm): **2** Gang: 146 (W) x 86 (H) x 4 (D) **202 203**: 86 (W) x 146 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix **036** - Product No **BK** - Insert Colour **SS** - 'Ingot' Switch Finish (if applicable).

PW White, BK Black, GY Grey (Grey is Ingot only)

SCP - Definity™ Cover Plate Prefix **436** - Product No **SS** - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



1 Gang
Blank Plate



2 Gang
Blank Plate



Single RJ11 Telephone
Outlet (US/Irish)

Select a Standard Insert

Standard Insert
SINo6oBK - Black
SINo6oPW - White

Standard Insert
SINo61BK - Black
SINo61PW - White


Standard Insert
SIN115BK - Black
SIN115PW - White

Cover Plate

1 Gang Blank
Cover Plate
SCPo6o



2 Gang Blank
Cover Plate
SCPo61



Single RJ11 Socket Outlet Cover
Plate
SCP115



Standards: o6o o61: BS 5733
Back Box Depth (mm): o6o: 16 o61: 25 115: 47 Termination Type: 115: Screw
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix o36 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black.

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



Single Telephone
Master



Single Telephone
Secondary



Twin Telephone
Master



Twin Telephone
Secondary

Select a Standard Insert

Standard Insert
SIN12oBK - Black
SIN12oPW - White

Standard Insert
SIN125BK - Black
SIN125PW - White

Standard Insert
SIN121BK - Black
SIN121PW - White

Standard Insert
SIN126BK - Black
SIN126PW - White

Cover Plate

Single Telephone Outlet Cover Plate
SCP12o



Twin Telephone Outlet Cover Plate
SCP121



Back Box Depth (mm): 25 Termination Type: IDC
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix o36 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black.

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.

BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

F64

Insert Design

Single Coaxial Socket Outlet (Unshielded)

Single 'Isolated' Coaxial Socket Outlet (Unshielded)

Single Satellite 'F' Outlet (Unshielded)

Select a Standard Insert

Standard Insert

SINo65BK - Black
SINo65PW - White

Standard Insert

SIN158BK - Black
SIN158PW - White

Standard Insert

SIN156BK - Black
SIN156PW - White

Cover Plate

Single Coaxial / Satellite Outlet Cover Plate

SCP231

Back Box Depth (mm): 25
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black.
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

F65

Insert Design

Twin Coaxial Socket Outlet (Unshielded)

Twin 'Isolated' Coaxial Socket Outlet (Unshielded)

'Isolated' Coaxial & Satellite 'F' Socket Outlet (Unshielded)

'Non-Isolated' Coaxial & Satellite 'F' Socket Outlet (Unshielded)

Select a Standard Insert

Standard Insert

SINo66BK - Black
SINo66PW - White

Standard Insert

SIN159BK - Black
SIN159PW - White

Standard Insert

SIN157BK - Black
SIN157PW - White

Standard Insert

SIN170BK - Black
SIN170PW - White

Cover Plate

Twin Coaxial / Satellite Outlet Cover Plate

SCP232

Back Box Depth (mm): 25
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D)

Understanding the code:
SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).
PW White, BK Black.
SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.
BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black

Insert Design



Single Plate
Single New Media™
Module Aperture



Single Plate
Twin New Media™
Module Aperture



Double Plate
Quad New Media™
Module Aperture

Select a Standard Insert

Standard Insert
SIN310BK

Standard Insert
SIN311BK

Standard Insert
SIN312BK

Cover Plate

Single Plate Single
New Media™ Module
Aperture Cover Plate

SCP310




Single Plate Twin
New Media™ Module
Aperture Cover Plate

SCP311



Double Plate Quad
New Media™ Module
Aperture Cover Plate

SCP312



These cover plates are available in Red (RD) & Antique brass (AB)

Back Box Depth (mm): Dependent On Modules Fitted
Dimensions (mm): 1 Gang: 86 (W) x 86 (H) x 4 (D) 2 Gang: 146 (W) x 86 (H) x 4 (D)

Understanding the code:

SIN - Insert Prefix 036 - Product No BK - Insert Colour SS - 'Ingot' Switch Finish (if applicable).

PW White, BK Black.

SCP - Definity™ Cover Plate Prefix 436 - Product No SS - Plate Colour.


BS Brushed Stainless, CH Polished Chrome, SS Stainless Steel, MW Metal White, MB Metal Black, PW White, BK Matt Black



WA092



WA094




WA095



SP640



WA099



WA102

For the complete range of back boxes see Essentials™ page N4.

essentials™

Galvanised Steel Back Boxes

WA092 1 Gang 16mm Deep Galvanised Steel K.O. Box
WA093 1 Gang 25mm Deep Galvanised Steel K.O. Box
WA094 2 Gang 25mm Deep Galvanised Steel K.O. Box
WA095 1 Gang 35mm Deep Galvanised Steel K.O. Box
WA096 2 Gang 35mm Deep Galvanised Steel K.O. Box

WA097 1 Gang 47mm Deep Galvanised Steel K.O. Box
WA098 2 Gang 47mm Deep Galvanised Steel K.O. Box
WA099 1 + 1 35mm Deep Dual Accessory Box
WA102 1 + 2 35mm Deep Dual Accessory Box

Longer Fixing Screws

SP640BN Define® M3.5 Dia. 40mm Long Screws (Bag 100)

SP640CH Define® M3.5 Dia. 40mm Long Screws (Bag 100)


Standards: BS 4662 640: ISO 2010

Dimensions (mm): 092: 70 (W) x 70 (H) x 16 (D) 093: 70 (W) x 70 (H) x 25 (D) 094: 135 (W) x 70 (H) x 25 (D)


095: 70 (W) x 70 (H) x 35 (D) 096: 135 (W) x 70 (H) x 35 (D) 097: 70 (W) x 70 (H) x 47 (D) 098: 135 (W) x 70 (H) x 47 (D)

099: 158 (W) x 74 (H) x 35 (D) 102: 220 (W) x 74 (H) x 35 (D)


F68



WA4247



WA106P



WA107P



GA100

FlameGuard® Dry Lining Boxes

WA4135	1 Gang 35mm Deep FlameGuard® Dry Lining Box
WA4147	1 Gang 47mm Deep FlameGuard® Dry Lining Box
WA4235	2 Gang 35mm Deep FlameGuard® Dry Lining Box
WA4247	2 Gang 47mm Deep FlameGuard® Dry Lining Box

Dry Lining Boxes (Sprung Fixing Lugs)

WA087SF	1 Gang 35mm Deep Dry Lining Box
WA088SF	2 Gang 35mm Deep Dry Lining Box
WA106SF	1 Gang 47mm Deep Dry Lining Box
WA107SF	2 Gang 47mm Deep Dry Lining Box

Dry Lining Boxes

WA087P	1 Gang 35mm Deep Dry Lining Box
WA088P	2 Gang 35mm Deep Dry Lining Box
WA106P	1 Gang 47mm Deep Dry Lining Box
WA107P	2 Gang 47mm Deep Dry Lining Box
WA108P	Round Ceiling 34mm Deep Dry Lining Box

Ezylink' Dry Lining Boxes

GA100	'Ezylink' Dry Lining Box Connector
-------	------------------------------------

Suitable for use with WA087P, WA088P, WA106P & WA107P.

essentials™

For the complete range of back boxes see Essentials™ page N4.
For the complete range of longer fixing screws see Essentials™ page N9.

Dimensions (mm): 095: 94.3 (W) x 94.3 (H) x 11 (D) 096: 152.3 (W) x 94.3 (H) x 11 (D)

FlameGuard® back boxes have been tested and conform to both fire and acoustic BS EN standards. Fire: BS EN 1364-1 Acoustic: BS EN ISO 140-2.
Complies with Building Regulations Fire tested up to 90 minutes with the capability of the boxes being mounted back to back.