



Outdoor General



230V Round IP65 Low Energy Walkover Light

code	no. of lamps	lampholder type	max wattage
CF530SS †	1	GX53	9W

Includes pre-wired flex for termination in a water-proof enclosure, Lead: 1.3m.

C/W Selected Lamp

LED options for CF530SS fitting are available on page b160

Available Finishes



Stainless Steel


CFLi Colour Options (†)



9W
Cool White




9W
Warm White



Product Approvals
Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

Please add lamp option on to the code e.g. **CF530SSLEDC**.



Product Approvals
Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

230V Square IP65 Low Energy Walkover Light

code	no. of lamps	lampholder type	max wattage
CF535SS♦	1	GX53	9W

Includes pre-wired flex for termination in a water-proof enclosure, Lead: 1.3m.

C/W Selected Lamp

LED options for CF530SS fitting are available on page b161

Available Finishes



Stainless Steel

CFLi Colour Options (♦)

9C

9W
Cool White

9W

9W
Warm White

Please add lamp option on to the code e.g. **CF535SS9W**.




230V IP54 Angled Aluminium Wall Light

code	no. of lamps	lampholder type	max wattage
LE601AL♦	1	GX53	9W

C/W Selected Lamp

LED options for LE601AL fitting are available on page b162



Available Finishes



Aluminium

CFLi Colour Options (†)




9W
Cool White



9W
Warm White

Product Approvals
Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

Please add lamp option on to the code e.g. **LE601AL9C**.



Product Approvals

Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

230V IP54 Angled Aluminium Wall Light

code	no. of lamps	lampholder type	max wattage
LE602AL	2	GX53	2 x 9W

C/W Selected Lamp

LED options for LE601AL fitting are available on page b163

Available Finishes



Aluminium

CFLi Colour Options (♦)

9C

9W
Cool White

9W

9W
Warm White

Please add lamp option on to the code e.g. **LE602AL9W.**




230V IP54 Up or Down Light

code	no. of lamps	lampholder type	max wattage
OL211AG♦	1	GX53	9W

C/W Selected Lamp

LED options for OL211AG fitting are available on page b164



Available Finishes

AG

Anthractite Grey

CFLi Colour Options (†)

9C

9W
Cool White

9W

9W
Warm White

Product Approvals

Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.


Please add lamp option on to the code e.g. **OL211AG9C**.

OUTDOOR GENERAL Up & Down Light

OVIA



IP54



Product Approvals
Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

230V IP54 Up & Down Light

code	no. of lamps	lampholder type	max wattage
OL212AG	2	GX53	2 x 9W

C/W Selected Lamp

LED options for OL212AG fitting are available on page b165

Available Finishes

AG

Anthracite Grey

CFLi Colour Options (♦)

9C

9W
Cool White

9W

9W
Warm White

Please add lamp option on to the code e.g. **OL212AG9W**.

call: 01827 63454 **fax:** 01827 63362 **email:** sales@scolmore.com **visit:** www.scolmore.com

CLICK b185



IP54



IP54



IP54





Product Approvals
Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

OUTDOOR GENERAL

Oval Bulkhead Lights



230V IP54 Oval Bulkhead Light - Plain



code	no. of lamps	lamp type	max wattage
OL400*	1	E27	60W

Die-cast body with glass diffuser.

Lamp sold separately, see Energetic catalogue for various lamp options.

Available Finishes (*)




White



Black

230V IP54 Oval Bulkhead Light with Guard



code	no. of lamps	lamp type	max wattage
OL410*	1	E27	60W

Die-cast body with glass diffuser.

Lamp sold separately, see Energetic catalogue for various lamp options.

Available Finishes (*)




White



Black

230V IP54 Oval Bulkhead Light with Eyelid



code	no. of lamps	lamp type	max wattage
OL420*	1	E27	60W

Die-cast body with glass diffuser.

Lamp sold separately, see Energetic catalogue for various lamp options.

Available Finishes (*)



White



Black

Please add required finish on to the code e.g. **OL420WH**.



IP54



IP54



IP54




Product Approvals
Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

OUTDOOR GENERAL

Round Bulkhead Lights



230V IP54 Round Bulkhead Light - Plain



code	no. of lamps	lamp type	max wattage
OL405*	1	E27	60W

Die-cast body with glass diffuser.

Lamp sold separately, see Energetic catalogue for various lamp options.

Available Finishes (*)




White



Black

230V IP54 Round Bulkhead Light with Guard



code	no. of lamps	lamp type	max wattage
OL415*	1	E27	60W

Die-cast body with glass diffuser.

Lamp sold separately, see Energetic catalogue for various lamp options.

Available Finishes (*)




White



Black

230V IP54 Round Bulkhead Light with Eyelid



code	no. of lamps	lamp type	max wattage
OL425*	1	E27	60W

Die-cast body with glass diffuser.

Lamp sold separately, see Energetic catalogue for various lamp options.

Available Finishes (*)



White



Black

Please add required finish on to the code e.g. **OL425BK**.





230V IP54 Outdoor Downlighter

code	no. of lamps	lampholder type	max wattage
OL210AG ♦	1	GX53	9W

C/W Selected Lamp

LED options for OL210AG fitting are available on page b172



Available Finishes

AG

Anthractive Grey

CFLi Colour Options (†)

9C

9W
Cool White

9W

9W
Warm White

Product Approvals

Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

Please add lamp option on to the code e.g. **OL210AG9C**.



IP54

82mm

181mm

Product Approvals
Good protection against ingress of dust and moisture.
Complies with BS EN 60598.

230V IP54 Outdoor Bulkhead

code	no. of lamps	lampholder type	max wattage
OL214AG♦	1	GX53	9W

C/W Selected Lamp

LED options for OL214AG fitting are available on page b173

Available Finishes

AG

Anthracite Grey

CFLi Colour Options (♦)

9C

9W
Cool White

9W

9W
Warm White

Please add lamp option on to the code e.g. **OL214AG9W.**




230V IP54 Aluminium Surface Light

code	no. of lamps	lampholder type	max wattage
LE603AL♦	1	GX53	9W

C/W Selected Lamp

LED options for LE603AL fitting are available on page b174



Available Finishes



Aluminium

CFLi Colour Options (†)



9W
Cool White




9W
Warm White

Product Approvals
Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

Please add lamp option on to the code e.g. **LE603AL9C.**

OUTDOOR GENERAL Aluminium Surface Lights

OVIA



Product Approvals

Good protection against
ingress of dust and moisture.
Complies with BS EN 60598.

230V IP54 Aluminium Surface Light

code	no. of lamps	lampholder type	max wattage
LE604AL	1	GX53	9W

C/W Selected Lamp

LED options for LE604AL fitting are available on page b175

Available Finishes



Aluminium

CFLi Colour Options (♦)

9C

9W
Cool White

9W

9W
Warm White

Please add lamp option on to the code e.g. **LE604AL9W.**

call: 01827 63454 fax: 01827 63362 email: sales@scolmore.com visit: www.scolmore.com

CLICK b193

